Content

Features	01
Safety notice	01-02
Notes	03
Introduction of components	04-05
Functions of components	06
Operation of main machine	
Working pattern	08-10
Cleaning and maintenance	11
Technical parameters	1 1
Malfunction analysis and solutions	12



ARPURIFIER

FEATURES

·5 kind of filter

Pre-Filter:Effective filtering large particles dust.
Cold catalyst filter:Elimination of pollutants such as formaldehyde
Activated carbon filter:Effectively absorb odors and pollutants
HEPA filter:Effective filtration PM2.5 fine dust
Sterilizing filter:Efficiently kill bacteria and viruses

·Negative ions

The air around forest and waterfall is rich in negative ions which are called vitamin of air. This product can release plenty of negative ions in every working pattern in order to make air clear and natural.

·Silence design

Work silently when we are sleeping.

SAFETY NOTICE

- Only use AC, or maybe result a fire or electric shock;
- Please do not use this machine when power line or plug has some breakage in case of electric shock, short circuit or fire.
- Please do not bruise, break, over-bend, stretch, twist, bind, press and crimp power line in case of electric shock, short circuit or fire.
- If power line has broken, you should go to technical service center or find repair technician for help in case of danger. You must turn off power and unplug power plug when you are replacing filter screen, moving or cleaning machine. Please do not pull out plug with wet hand in case of electric shock or hurt.

- Please do catch the plug to pull out power line. Never pull power line too hard. And you need clean up dust deposition on the plug because it is easy to result in fire or electric shock.
- Please pull out plug if you do not use it for a long time because it will decrease the insulativity, which may result in electric shock, leakage of electricity or fire.
- Please do not plug with finger or other objects, or electric shock or breakdown will happen.
- Please do not use it in bathroom or other wet places, or it may result in electric shock, leakage of electricity or fire.
- Please do not use it where there is plenty of smokes for example, kitchen, or flaw will appear on the machine .lt will become damp and as a result ,electric shock or breakdown will happen.
- Please do not let flammable gas or spark caused from cigarette or incense enter air purifier for fear of fire.
- Please do not wipe the machine with oil or paint thinner and spray pesticide onto it, otherwise flaw will appear and even electric shock or fire will happen.
- Never use it when pesticide is sprayed indoor, or the pesticide will accumulate inside the machine which will blow out into air and it is harmful to human being's health.
- This air purifier is not able to remove carbonic oxide.
- Please do not make any alterations by yourself.
- This appliance is not intended for use by persons(including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance


NOTES

- Please turn off power before cleaning or other maintenance.
- Please put the machine where air circulation is unlocked.
 It is more efficient to place the machine in lower place in order to remove dust in house.
- Do not place the machine outside the house or those places where sunlight is drilled directly, or the surface of machine will fade away.
- Make sure that the air purifier is far away from heater in case the heat will make the machine fade away or deformed.
- Keep machine far away from TV, radio, acoustics, wireless at least 2m, or else it is affected by electronic wave.
- Make sure the machine away from walls at least 10cm.
 Wall will become dirty after long-time use of air purifier, so please paste plastic paper onto wall or make cleaning regularly
- Do not place the machine where curtain is prone to touch the inlet scoop and air outlet, or the curtain will be stained and ever breakout will happen.
- Keep the machine far away from vessel filled with water or fishbowl or flower vase in case that water enters the machine and as result electric shock or breakdown will happen.
- Please do not sit or stand on the machine, and do not shake it or use it when the machine is accumbent or bias, otherwise breakdown will happen.
- You must catch the handle in the back because catching the front part will result in fall-up and some hurt to human beings.


04

INTRODUCTION OF COMPONENTS

Components of main machine



Control panel and display screen



- 1. Indicator light for week wind speed
- 2. Indicator light for medium wind speed
- 3. Indicator light for strong wind speed
- 4. Power switch
- Manual wind speed adjustment button
 Negative ions switch

- 7. Working pattern convert button
- 8. Indicator light for natural wind pattern
- 9. Indicator light for sleepy pattern
- 10 . Indicator light for reminding replacing filter
- 11. Indicator for negative ions

Remarks:

Main functions of this model: 1. Ion wind. 2. Negative ions. 3. Working pattern: natural wind, sleepy wind, reminding of replacing filter.



FUNCTIONS OF COMPONENTS

1.Front door board

It must be unfold when cleaning and maintaining the inner filter.

2.Pre-filter

Be closest to the air inlet to remove the large particulate matters in air advance.

3. Cold catalyst and activated carbon compound filter

Eliminate formaldehyde and other pollution gas in home decoration.

4.HEPA+sterlizing filter

Effective filtration PM2.5 fine dust, efficiently kill bateria and viruses.

5.Control panel

Includes machine control switch and working pattern switch.

6.Air inlet

An air intake vent.

7. Air outlet

Flow-off vent.

8.Handle

06

Used for moving machine.

9. The magnet of door

Can suck the front door board.

10.Indicator for replacing filter

Flickering of this light indicates it's time to replace the filter.

OPERATION OF MAIN MACHINE

Plug in AC 220-240V power.

- · All of indicator lights are on and we will hear a tinkle sound while the machine is in scan detection.
- · After self detection, the machine comes into standby situation with all lights off. **Starting up:** press the on/off button.

The content on the control panel:

- · Indicator light for week wind speed and Indicator for negative ions become on.
- · acquiescent working pattern is manual dust removing pattern.
- · LED decorative light becomes on.

Power off: press on/off button once again.



WORKING PATTERN

Automatic mode

After startup, machine starts to work in manual pattern acquiescently. You can Press mode button to convert to natural and sleeping pattern. The indicator light will become on and the machine will choose the most suitable fan speed for removing dust in air.

- Natural mode: the machine can set the working mode and wind speed automatically according to the result of sensor's detection.
- Under natural mode, the machine can changes its wind speed all the time.
- When the machine is working in other modes, you only need to press the mode button to convert to natural mode with its indicator light on



Wind speed mode

It is also called manual pattern. It means user can choose the needed fan's speed.

- 1. Press on/off button to start up air purifier.
- 2.Press button \$\sigma\$ one or more times for the speed you want (This is the working mode of fan)
- The corresponding indicator light is on.
- It is better to choose "strong power" mode when the air condition is bad in the room.

Wind speed mode



Sleeping mode

The wind speed is the lowest when it runs with sleeping mode. The Air Purifier runs silently.

- Press the button "switch on /off" to run the Air Purifier.
- Press the button "mode" for "sleeping mode", and the light 3 is on.
- If you want to return to the wind speed mode (manual mode), press the button "wind speed" directly.
- When it runs under "sleeping mode", the decorative light will be turned off automatically 60 seconds later and the light will be turned on again with any button being pressed.



Negative ion

The negative ion device is used for purifying air and it is acquiescent with opening mode when the machine is on. The controlling system of the air purifier will detect whether the function of the dust-catcher is ok.

- When the function is ok, the light A is on.
- If you want to turn off the function of "ion wind", press the button @ again directly and the light @ is off on the screen.



About remind replacement

- When the filter need to be changed, the replacement indicator of the control panel will lighting.
- After changing the filter, please press model button for 6 seconds to confirming the replacement, and shut down the replacement indicator.




CLEANING AND MAINTENANCE


Change the filter.

Before changing the filter, the plug must be pulled out from the socket.

- A.The period of changing the filter depends on working time and working situation.
- B.When the indicator light for changing the filter is on, it means that the user should change the filter in time. The machine's systematic cue periods is 3 months. (The filter can be changed ahead of time according to the work situation.)
- C.After changing the filter, pull in the plug into the socket and press the button "switch on/off" and press the button "mode" to exit the "change" mode. If the indicator light of changing the filter is off and the air purifier enter the normal work condition, the maintenance and changing of the filter is done.



- 1.Switch off the air purifier and pull out the Plug from the socket.
- Take off front board .
 Press on both of two sides of the board top and pull out it upward.



- Please take out pre-filter use water to clean and dry it.
- 4.Take out cold catalyst and activated carbon filter cently pat or use vacuum cleaner to remove the surface dusts.
- 5. Change the new HEPA and sterilizing filter.
- 6.Set the machine in reverse order.

Technical parameters

Outside dimension: 346x257x660mm

Applied area: 20-40m²

Notes: Working power on the label sticker is the correct power of air purifier.

MALFUNCTION ANALYSIS AND SOLUTIONS

No air comes out from the air outlet.	The prduce was not connected to the power, Insert the plug into a power outlet and activate the product.
The amount of air coming out from the air outlet decreases obviously than before.	Please refer to cleaning and maintenance when filter is dogged with dust and the replacement date is expired.
The air quality is still bad although the air purifier have worked for a long time.	Please reistall or xhange by correct steps for filter being not inner or needing being replaced.
The indicator light of changing the filter is still on after we have changed the filter.	If replacement has not been confirmed, please "model after replacing the filter."
There is some abnormal noise coming out from the air purifier.	Stenlization ions generated sounds. The sound may be sometimes large and sometimes small for room's humidity, but the effect is the same.

- If you need more information or service, please contact the agency related.
- The warranty service can only be offered under the normal use within the guarantee duration. We can offer the guarantee service for failure due to the product itself with the invoice and guarantee card. The following situations don't belongs to the guarantee service scope:
- 1. The failure comes from the maintenance which is fulfilled by other maintenance shops.
- 2. The failure is caused by artificial reasons.
- 3. The failure is caused by wrong way to use and maintain the product not according to the instructions.
- 4. The failure is because of the fall-off, squeeze or soaking.
- 5. The failure is because of irresistible factors such as flood, fire or thunder, etc.
- 6. The failure is from customer's accident.
- 7.Please keep the guarantee car well and show the card when you need after-sale service. The guarantee should not be altered or it will be invalid.